

## **AMENDMENT TO THE CLAIMS:**

Without prejudice, the listing of claims given below will replace all prior versions, and listings, of claims in the application:

### **LISTING OF CLAIMS:**

1. (Currently amended) A door handle assembly, comprising:  
a support plate having a front side and a back side, wherein an aperture is disposed in the support plate;

a handle pivotably arranged on the front side of the support plate, wherein a cam shaft configured to be arranged in the aperture depends from the handle; ~~and~~

a cam follower disposed on the back side of the support plate, coupled to the cam shaft; and

a latch operably connected to the handle via the cam shaft and cam follower, configured so that force applied to the handle may be transferred via the cam shaft and cam follower to lift the latch.

2. (Cancelled)

3. (Original) The door handle assembly of claim 1, further comprising:

a retaining device configured to retain the handle in one of an open position and a closed position.

4. (Currently amended) A door handle assembly, comprising:

a support plate having a front side and a back side, wherein an aperture is disposed in the support plate;

a handle pivotably arranged on the front side of the support plate; and

a roller bearing arrangement depending from the handle, configured to transfer force from the handle to a latch in order to ~~move~~ lift the latch.

5. (Currently amended) A gaming terminal, comprising:

a housing;

a door movably attached to the housing, wherein the door is secured by a latch disposed in the housing; and

a door handle assembly attached to one of the door and the housing, the door handle assembly including

a support plate having a front side and a back side, wherein an aperture is disposed in the support plate,

a handle pivotably arranged on the front side of the support plate, wherein a cam shaft configured to be arranged in the aperture depends from the handle, ~~and~~

a cam follower disposed on the back side of the support plate, coupled to the cam shaft; and

a latch operably connected to the handle via the cam shaft and cam follower, configured so that force applied to the handle may be transferred via the cam shaft and cam follower to lift the latch.

6. (Original) The gaming terminal of claim 5, wherein the door handle assembly is configured to transfer force from the handle to the latch in order to move the latch.

7. (Original) The gaming terminal of claim 5, further comprising:

a retaining device configured to retain the handle in one of an open position and a closed position.

8. (Original) The gaming terminal of claim 5, further comprising:

electronic components disposed in the housing, the electronic components accessible by opening the door.

9. (Original) The gaming terminal of claim 5, further comprising:

at least one of a monitor, a processor, a gaming ticket printer, a money receptor, and a card reader.

10. (Currently amended) A gaming terminal, comprising:

a housing;

a door movably attached to the housing; and

a door handle assembly attached to one of the door and the housing, the door handle assembly including

a support plate having a front side and a back side, wherein an aperture is disposed in the support plate,

a handle pivotably arranged on the front side of the support plate, and

a roller bearing arrangement depending from the handle, configured to transfer force from the handle to a door latch in the gaming terminal, to ~~one of open and close~~ lift the door latch.

11. (Original) The gaming terminal of claim 10, further comprising:

a retaining device configured to retain the handle in one of an open position and a closed position.

12. (Currently amended) The gaming terminal of claim 10, further comprising:

electronic components disposed in the housing, accessible by opening the door ~~handle assembly~~.

13. (Original) The gaming terminal of claim 10, further comprising:

at least one of a monitor, a processor, a gaming ticket printer, a money receptor, and a card reader.

14. (Currently amended) A gaming terminal, comprising:

a housing;

a door movably attached to the housing;

a door latch disposed in the housing;

an extension member movably attached to the housing; and

means for transferring a force imparted on the extension member to the door latch, to ~~one of open and close the door latch~~ lift the door latch.

15. (Original) The gaming terminal of claim 14, further comprising:

a retaining device configured to retain the handle in one of an open position and a closed position.

16. (Original) The gaming terminal of claim 14, further comprising:

electronic components disposed in the housing, accessible by opening the door.

17. (Original) The gaming terminal of claim 14, further comprising:

at least one of a monitor, a processor, a gaming ticket printer, a money receptor, and a card reader.